Group No.: 2877



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Raoul Kopelman et al.

Serial No.: 10/630,928

Filed: 7/30/03 Examiner: Evans, Fannie

Entitled: Optical Sensors For The Detection Of Nitric

Oxide

INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents P.O. Box 1450 Alexandria, VA. 22313-1450

CERTIFICATE OF MAILING UNDER 37 C.F.R. § 1.8(a)(1)(i)(A)

I hereby certify that this correspondence (along with any referred to as being attached or enclosed) is, on the date shown below, being deposited with the U.S. Postal Service with sufficient postage as first class mail in an envelope addressed to. Commissioner for Patents, P.O. Box 1450, Alexandria, VA. 22313-1450.

Dated: December 22, 2004

Christopher J. Coli

Sir or Madam:

The citations listed below, copies attached, may be material to the examination of the above-identified application, and are therefore submitted in compliance with the duty of disclosure defined in 37 C.F.R. §§ 1.56 and 1.97. The Examiner is requested to make these citations of official record in this application.

The following printed publications are referred to in the body of the specification:

- U.S. Patents Nos. 5,361,314 to Kopelman et al.;
- U.S. Patents Nos. 5,627,922 to Kopelman et al.;
- Blyth et al., "Sol-Gel Encapsulation of Metalloproteins for the Development of Optical Biosensors for Nitrogen Monoxide and Carbon Monoxide," Analyst, 120:2725-2730 (1995);
- Diodati et al., "Complexes of Nitric Oxide with Nucleophiles as Agents for the Controlled Biological Release of Nitric Oxide: Antiplatelet Effect," *Thrombosis* and Haemostasis, 70:654-658 (1993);

- Marletta *et al.*, "Unraveling the biological significance of nitric oxide," *Biofactors*, 2:219-225 (1990);
- Oliveira et al., "A Heme-binding Protein from Hemolymph and Oocytes of the Blood-sucking Insect, Rhodnius prolixus," J. Biol. Chem. 270:10897-10901 (1995);
- Ribeiro *et al.*, "Reversible Binding of Nitric Oxide by a Salivary Heme Protein from a Bloodsucking Insect," *Science*, 260:539-541 (1993);
- Snyder, "Janus faces of nitric oxide," *Nature*, 364:577 (1993);
- Stone and Marletta, "Soluble Guanylate Cyclase from Bovine Lung: Activation with Nitric Oxide and Carbon Monoxide and Spectral Characterization of the Ferrous and Ferric States," *Biochemistry*, 33:5636-5640 (1994);
- Tsutsui and Mueller, "A protein with multiple Heme-binding sites from rabbit Serum," J. Biol. Chem., 257: 3925-3931 (1982);
- Valenzuela et al., "A Salivary Nitrophorin (Nitric-Oxide-Carrying Hemoprotein) In The Bedbug Cimex lectularius," J. Exper. Biol., 198:1519-1526 (1995); and
- Zhou and Arnold, "Response Characteristics and Mathematical Modeling for a Nitric Oxide Fiber-Optic Chemical Sensor," *Anal. Chem.*, 68:1748-1754 (1996).

Applicants have become aware of the following printed publications which may be material to the examination of this application:

• Garbor and Allon, "Spectro Fluorometric Method for NO Determination", Anal. Biochem., 220:16-19 (1994). This publication discloses a spectroscopic method for measuring NO in solution, said method utilizing nitrosothiols. Additionally, the publication suggests the use of this method applied to the tips of optical fibers. The publication does not disclose an optical fiber comprising a tip, said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives.

- Godwin and Berg, "A Fluorescent Zinc Probe Based on Metal-Induced Peptide Folding", J. Am. Chem. Soc. 118:6514-6515 (1996). This publication discloses a zinc finger consensus sequence modified with two fluorescent dyes to visualize zinc binding. The modified protein is intended for use as an in vivo indicator of zinc (ZnII). The publication does not disclose an optical fiber comprising a tip, said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives.
- Handley, et al. "Colloidal gold-low density lipoprotein conjugates as membrane receptor probes", Proc Nat Acad Sci, USA 78:368-371 (1981). This publication discloses a method for conjugating low density lipoproteins with colloidal gold. The publication does not disclose an optical fiber comprising a tip, said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives.
- De Roe, et al. "A model of protein colloidal gold interactions", J. Histochem. Cytochem. 35:1191-1198 (1987). This publication discloses a model for the interaction of proteins with colloidal gold particles. Using Scathard analysis, it analyses the physical parameters of the interaction. The publication does not disclose an optical fiber comprising a tip, said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives.
- Handley, et al. "Hepatic binding and internalization of low density lipoprotein-gold conjugates in rats treated with 17α-ethinylestradiol", J Cell Biol. 90:778-787 (1981). This publication discloses the results of a study investigating the influence of estrogen on the uptake of low density lipoproteins (LDL) using LDL-gold conjugates. The publication does not disclose an optical fiber comprising a tip, said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives.

- Geoghegan and Ackerman, "Adsorption of horseradish peroxidase, ovomuccoid and anti-immunoglobulin to colloidal gold for the indirect detection of concanavalin A, wheat germ agglutinin and goat anti-human immunoglobulin G on cell surfaces at the electron microscopic level: A new method, theory and application", *J. Histochem. Cytochem.* 25:1187-1200 (1977). The publication discloses the use of colloidal gold-protein conjugates for staining with the electron microscope. The publication does not disclose an optical fiber comprising a tip, said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives.
- Broderick, *et al.* "Evidence for retention of biological activity of a non-heme iron enzyme adsorbed on a silver colloid: A surface-enhanced resonance Raman scattering study", *Biochemistry* 32:13771-13776 (1993). This publication discloses the use of surface-enhanced resonance Raman spectroscopy (SERRS) on non-heme iron enzymes. The publication does not disclose an optical fiber comprising a tip, said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives.
- Grabar, et al. "Kinetic control of interparticle spacing in Au colloid-based surfaces: Rational nanometer-scale architecture", J. Am. Chem. Soc.118:1148-1153 (1996). This publication discloses the absorbance spectrum and kinetics of the covalent attachment of colloidal gold to surface-confined organosilane films. The publication does not disclose an optical fiber comprising a tip, said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives.
- Freeman, et al. "Self-assembled metal colloid monolayers: An approach to SERS substrates", Science 267:1629-1632 (1995). This publication discloses the use of metal colloid monolayers in surface-enhanced Raman scattering (SERS). The publication does not disclose an optical fiber comprising a tip,

- said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives.
- Graber, et al. "Preparation and characterization of Au colloid monolayers"

 Anal. Chem. 67:735-743 (1995). This publication discloses the design and characterization of two-dimensional arrays of colloidal Au particles. The publication does not disclose an optical fiber comprising a tip, said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives.
- Malinski and Czuchajowski, "Nitric Oxide Measurement by Electrochemical Methods" in Methods in Nitric Oxide Research, Freelisch and Stamler, eds., John Wiley and Sons, pp. 319-339 (1996). This publication reviews techniques that utilize electrochemical methods for the detection and quantification of NO. The publication does not disclose an optical fiber comprising a tip, said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives.
- Moncada, et al., "Nitric Oxide: Physiology, pathology and pharmacology" Pharm Reviews 43:109-142 (1991). This publication discloses physiological properties of NO. The publication does not disclose an optical fiber comprising a tip, said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives.
- Ding, et al., "Release of reactive nitrogen intermediates and reactive oxygen intermediates from mouse peritoneal macrophages" J. Immunol. 141:2407-2412 (1988). This publication discloses the ability of 12 cytokines to induce NO release from macrophages. The publication does not disclose an optical fiber comprising a tip, said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives.

- Xia and Zweier, "Substrate control of free radical generation from xanthine oxidase in the postischemic heart" *J. Biol. Chem.* 270: 18797-18803 (1995). This publication discloses the quantification of free radicals generated from xanthine oxidase. The publication does not disclose an optical fiber comprising a tip, said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives.
- Zweier, et al., "Measurement and characterization of free radical generation in reoxygenated human endothelial cells" Am. J. Physiol. 266:C700-C708 (1994). This publication discloses the measurement and characterization of oxygen free radicals and methods for measuring them. The publication does not disclose an optical fiber comprising a tip, said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives.
- Bartsch, et al., "Preparation and properties of Rhodospirillum rubum cytochromes c₂, cc' and b_{557.5} and flavin mononucleotide protein" J. Biol. Chem 246:4489-4406 (1971). This publication describes multiple isoelectrically distinguishable forms of cytochromes. The publication does not disclose an optical fiber comprising a tip, said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives.
- Ren, et al. "Atomic structure of a cytochrome c' with an unusual ligand-controlled dimer dissociation at 1.8Å resolution" J. Mol. Biol. 234:433-445 (1993). This publication discloses crystallographic structure of cytochrome c' at 1.8Å resolution. The publication does not disclose an optical fiber comprising a tip, said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives.

- Taniguchi and Kamen, "On the anomalous interactions of ligands with *Rhodospirillium* haem protein (RHP)" *Biochimica et Biophysica Acta* 74:438-455 (1963). This publication discloses the results of reactions between NO and ferri-RHP, an isolation co-product of cytochrome c'. The publication does not disclose an optical fiber comprising a tip, said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives.
- Caffery, et al. "NMR assignment of Rhodobacter capsulatus ferricytochrome c', a 28kDa paramagnetic heme protein" Biochemistry 34:5904-5912 (1995). This publication discloses that cytochrome c' binds NO in a noncooperative manner. The publication does not disclose an optical fiber comprising a tip, said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives.
- Yoshimura, et al. "Identification of heme axial ligands of cytochrome c' from Alcaligenes sp. N.C.I.B. 11015" Biochimica et Biophysica Acta 831:267-274 (1985). This publication discloses the spectral properties of both ferric and ferrous cytochromes c'. The publication does not disclose an optical fiber comprising a tip, said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives.
- Yoshimura, et al. "Spectral properties of nitric oxide complexes of cytochrome c' from Alcaligenes sp. NCIB 11015" Biochemistry 25:2436-2442 (1986). This publication discloses the spectral properties of the NO dervatives of cytochrome c' containing ¹⁴NO and ¹⁵NO. The publication does not disclose an optical fiber comprising a tip, said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives.

- Malinski and Taha, "Nitric oxide release from a single cell measured *in situ* by a porphyrinic-based microsensor" *Nature* 358:676-678 (1992). This publication discloses a porphyrinic microsensor consisting of a p-type semiconducting polymer porphrin and a cationic exchanger on a carbon fiber. The publication does not disclose an optical fiber comprising a tip, said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives.
- Vallance, et al., "Direct measurement of nitric oxide in human beings" Lancet 346:153-154 (1995). This publication discloses the use of an electrochemical microsensor to measure the NO concentration in the blood vessels of volunteers. The microsensor consisted of porphyrinic sensors. The publication does not disclose an optical fiber comprising a tip, said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives.
- Kiechile and Malinski, "Indirect detection of nitric oxide effects: A review"

 Ann. Clin. Lab. Sci 26:501-511 (1996). This publication discloses indirect methods of detecting NO. The methods disclosed include location of NO synthase enzyme, bioassays, inhibition of NO synthase activity, iron responsive element binding protein activity and production of nitrate/nitrite. The publication does not disclose an optical fiber comprising a tip, said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives.
- Pariente, et al. "Chemically modified electrode for the selective and sensitive determination of nitric oxide (NO) in vitro and in biological systems" J. Electroanalyticl Chem. 379:191-197 (1994). This publication discloses the use of a polycrystalline platinum electrode for measuring NO. The publication does not disclose an optical fiber comprising a tip, said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a

- layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives.
- Shibuki, "An electrochemical microprobe for detecting nitric oxide release in brain tissue" *Neurosci. Res.* 9:69-76 (1990). This publication discloses a platinum electrode to measure NO in the brain. The publication does not disclose an optical fiber comprising a tip, said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives.
- Zhang, et al. "Electrochemical reduction of nitrite and nitric oxide catalyzed by an iron-alizarin complex adsorbed on a graphite electrode" Inorg. Chem. 33:1392-1398 (1994). This publication discloses the utilization of a chelating alizarin ligand derivative that binds Fe^{III} ions at an electrode surface to produce an electrocatalyst for [NO₂] and NO reduction that can be used to measure NO. The publication does not disclose an optical fiber comprising a tip, said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives.
- Dave, et al. "Sol-gel encapsulation methods for biosensors" Anal. Chem. 66:1120A-1127A (1994). This publication discloses the use of optical-quality silica monoliths (i.e., glass blocks) in which proteins to be used as biosensors have been encapsulated. For the measurement of NO, manganese myoglobin was used as the biosensor molecule. The publication does not disclose an optical fiber comprising a tip, said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives.
- Broderick and Taha, "Nitric oxide detection using a popular electrochemical sensor: Recent applications and the development of a new generation of highly sensitive and selective NO-microsensors." pp. 2-18, Presented at the satellite symposium, 4th IBRO World Congress of Neuroscience, Kyoto, Japan, 1995,

World Precision Instruments. This publication discloses a commercially available NO sensor. The publication does not disclose an optical fiber comprising a tip, said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives.

• Ichimori, et al. "Practical nitric oxide measurement employing a nitric oxideselective electrode" Rev. Sci. Instrum. 65:2714-2718 (1994). This publication
discloses platinum probe encased in a glass micropipette for measuring NO.
The publication does not disclose an optical fiber comprising a tip, said tip
comprising a fluorescent compound attached to metal, wherein said metal is
configured in a layer, said fluorescent compound selected from the group
consisting of fluorescein and fluorescein derivatives.

The following references were cited by the examiner in the parent case, application number 09/365,487 filed on 8/21/1999 now patent number 6,636,652 issued on 10/21/2003:

- U.S. Patent No. 4,621,052 to Sugimoto discloses a process for the production of human epidermal growth factor in relation to mass production. The publication does not disclose an optical fiber comprising a tip, said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives;
- U.S. Patent No. 6,272,262 to Kopelman *et al.* discloses an optical fiber tip comprising a nitric oxide binding compound. The reference does not teach optical fiber tips lacking a binding compound. The reference does not disclose an optical fiber comprising a tip, said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives.
- U.S. Patent No. 6,002,817 to Kopelman *et al.* discloses an optical fiber tip comprising a nitric oxide binding compound. The reference does not teach optical fiber tips lacking a binding compound. The reference does not disclose

an optical fiber comprising a tip, said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives.

- U.S. Patent No. 5,606,638 to Tymianski et al. discloses a scintillating composition designed to convert radiation into light for configuration into optical fibers. The reference does not disclose an optical fiber comprising a tip, said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives.
- U.S. Patents Nos. 6,287,765 to Cubicciotti discloses the synthesis of multimolecular heteropolymers designed for adaptation to construct molecular machines. The reference does not disclose an optical fiber comprising a tip, said tip comprising a fluorescent compound attached to metal, wherein said metal is configured in a layer, said fluorescent compound selected from the group consisting of fluorescein and fluorescein derivatives.

This Information Disclosure Statement under 37 C.F.R. §§ 1.56 and 1.97 is not to be construed as a representation that a search has been made, that additional information material to the examination of this application does not exist, or that any one or more of these citations constitutes prior art.

Dated: December 22, 2004

Peter G. Carroll

Registration No. 32,837

MEDLEN & CARROLL, LLP 101 Howard Street, Suite 350 San Francisco, California 94105 617/984-0616 DEC 2 7 2004

| 37 CFR § 1.98(b)) | Serial / Patent Number 4,621,052 5,361,314 5,606,638 5,627,922 6,002,817 6,272,262 6,287,765 | Issue Date 11/04/86 11/01/94 2/25/97 5/06/97 | U.S. PATENT DOC Applica Si Kope | ant / Patentee | | Group Art Unit | t: 2877 Filing Date |
|--|--|--|--|---------------------------|----------------------|--------------------|---------------------|
| Examiner Initials No. 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 | Serial / Patent Number 4,621,052 5,361,314 5,606,638 5,627,922 6,002,817 6,272,262 6,287,765 | Issue Date 11/04/86 11/01/94 2/25/97 5/06/97 | Applica Si Kope | UMENTS ant / Patentee | Class | | |
| Initials No. 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 | Number 4,621,052 5,361,314 5,606,638 5,627,922 6,002,817 6,272,262 6,287,765 | 11/04/86 11/01/94 2/25/97 5/06/97 | Applica Si Kope | ant / Patentee | - | Subclass | Filing Date |
| Initials No. 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 | Number 4,621,052 5,361,314 5,606,638 5,627,922 6,002,817 6,272,262 6,287,765 | 11/04/86 11/01/94 2/25/97 5/06/97 | Si | ugimoto | - | Subclass | Filing Date |
| 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 | 5,361,314 5,606,638 5,627,922 6,002,817 6,272,262 6,287,765 | 11/01/94 2/25/97 5/06/97 | Коре | | 435 | | |
| 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 | 5,606,638 5,627,922 6,002,817 6,272,262 6,287,765 | 2/25/97 5/06/97 | • | 1 | | 68 | 6/14/84 |
| 4 5 6 7 8 9 10 11 12 13 14 15 16 | 5,627,922 6,002,817 6,272,262 6,287,765 | 5/06/97 | Tymi | elman <i>et al</i> . | 385 | 12 | 9/04/92 |
| 5 6 7 8 9 10 11 12 13 14 15 16 | 6,002,817 6,272,262 6,287,765 | | | anski et al. | 385 | 143 | 12/26/95 |
| 6 7 8 9 10 11 12 13 14 15 16 17 | 6,272,262 6,287,765 | 12/14/00 | Kope | lman <i>et al</i> . | 385 | 12 | 3/02/95 |
| 7 8 9 10 11 12 13 14 15 16 17 18 | 6,287,765 | 12/14/99 | Коре | lman et al. | 385 | 12 | 9/29/97 |
| 8 9 10 11 12 13 14 15 16 17 18 | <u> </u> | 8/07/01 | Kope | lman <i>et al</i> . | 385 | 12 | 7/06/99 |
| 9 10 11 12 13 14 15 16 17 18 | | 9/11/01 | Cı | ıbicciotti | 435 | 6 | 5/20/98 |
| 9 10 11 12 13 14 15 16 17 18 | OTHER | DOCUMENTS (Includ | ding Author, Title, D | ate, Relevant Pages, Pla | ice of Publication) | | |
| 10 11 12 13 14 15 16 17 18 | Blyth et al., "Sol-Gel Encapsulation of Metalloproteins for the Development of Optical Biosensors for Nitrogen Monoxide and Carbon Monoxide," Analyst, 120:2725-2730 (1995) | | | | | | |
| 11 12 13 14 15 16 17 18 | Diodati et al., "Complexes of Nitric Oxide with Nucleophiles as Agents for the Controlled Biological Release of Nitric Oxide: Antiplatelet Effect," Thrombosis and Haemostasis, 70:654-658 (1993) | | | | | | |
| 12 13 14 15 16 17 18 | Marletta et al., "Unraveling the biological significance of nitric oxide," Biofactors, 2:219-225 (1990) | | | | | | |
| 13 14 15 16 17 18 | Oliveira et al., "A Heme-binding Protein from Hemolymph and Oocytes of the Blood-sucking Insect, Rhodnius prolixus," J. Biol. Chem. 270:10897-10901 (1995) | | | | | | |
| 14 15 16 17 18 | Ribeiro et al., "Reversible Binding of Nitric Oxide by a Salivary Heme Protein from a Bloodsucking Insect," Science, 260:539-541 (1993) | | | | | | |
| 15 16 17 18 | Snyder, "Janus faces of nitric oxide," Nature, 364:577 (1993) | | | | | | |
| 16 17 18 | Stone and Marletta, "Soluble Guanylate Cyclase from Bovine Lung: Activation with Nitric Oxide and Carbon Monoxide and Spectral Characterization of the Ferrous and Ferric States," <i>Biochemistry</i> , 33:5636-5640 (1994) | | | | | | |
| 17 | Tsutsui and Mueller, "A protein with multiple Heme-binding sites from rabbit Serum," J. Biol. Chem., 257: 3925-3931 (1982) | | | | | | |
| 18 | Valenzuela et al., "A Salivary Nitrophorin (Nitric-Oxide-Carrying Hemoprotein) In The Bedbug Cimex lectularius," J. Exper. Biol., 198:1519-1526 (1995) | | | | | | |
| | Zhou and Arnold, "Response Characteristics and Mathematical Modeling for a Nitric Oxide Fiber-Optic Chemical Sensor," Anal. Chem., 68:1748-1754 (1996) | | | | | | |
| 19 | Garbor and Allon, "Spectro Fluorometric Method for NO Determination", Anal. Biochem., 220:16-19 (1994) | | | | | | |
| | Godwin and Berg, "A Fluorescent Zinc Probe Based on Metal-Induced Peptide Folding", J. Am. Chem. Soc. 118:6514-6515 (1996) | | | | | | |
| 20 | Handley, et al. "Colloidal gold-low density lipoprotien conjugates as membrane receptor probes", Proc Nat Acad Sci, USA 78:368-371 (1981) | | | | | | |
| 21 | De Roe, et al. "A model of protein - colloidal gold interactions", J. Histochem. Cytochem. 35:1191-1198 (1987) | | | | | | |
| 22 | De Koe, et al. "A n | | malization of low de | nsity lipoprotein-gold co | onjugates in rats tr | eated with 17α-eth | inylestradiol", J |
| xaminer: | | | · | Date Considered: | | | |

| FORM PTO-1449 Modified) | U.S. Department of Comme Patent and Trademark Offic | | Serial No.: 10/630,928 | | | | |
|---|--|--|----------------------------------|--|--|--|--|
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary) | | Applicant: Raoul Kopelman et al. | Applicant: Raoul Kopelman et al. | | | | |
| 37 CFR § 1.98(b)) | | Filing Date: 07/30/03 | Group Art Unit: 2877 | | | | |
| | OTHER DOCUMENTS (Including Author, Tit | le, Date, Relevant Pages, Place of Publication |) | | | | |
| 2 | Geoghegan and Ackerman, "Adsorption of horseradish peroxidase, ovomuccoid and anti-immunoglobulin to colloidal gold for the indirect detection of concanavalin A, wheat germ agglutinin and goat anti-human immunoglobulin G on cell surfaces at the electron microscopic level: A new method, theory and application", J. Histochem. Cytochem. 25:1187-1200 (1977). | | | | | | |
| 2 | Broderick, et al. "Evidence for retention of biological activity of a non-heme iron enzyme adsorbed on a silver colloid: A surface-enhance resonance Raman scattering study", Biochemistry 32:13771-13776 (1993) | | | | | | |
| 2 | Grabar, et al. "Kinetic control of interparticle spacing in a Soc. 118:1148-1153 (1996) | et al. "Kinetic control of interparticle spacing in Au colloid-based surfaces: Rational nanometer-scale architecture", J. Am. Chem. 3:1148-1153 (1996) | | | | | |
| 2 | Graber, et al. "Preparation and characterization of Au colloid monolayers" Anal. Chem. 67:735-743 (1995) | | | | | | |
| 2 | Malinski and Czuchajowski, "Nitric Oxide Measurement by Electrochemical Methods" in Methods in Nitric Oxide Research, Freelisch and Stamler, eds., John Wiley and Sons, pp. 319-339 (1996) | | | | | | |
| 2 | Moncada, et al., "Nitric Oxide: Physiology, pathology and pharmacology" Pharm Reviews 43:109-142 (1991) | | | | | | |
| 2 | Ding, et al., "Release of reactive nitrogen intermediates and reactive oxygen intermediates from mouse peritoneal macrophages" J. Immuno 141:2407-2412 (1988) | | | | | | |
| 3 | Xia and Zweier, "Substrate control of free radical generation from xanthine oxidase in the postischemic heart" J. Biol. Chem. 270: 18797-18803 (1995) | | | | | | |
| 3 | Zweier, et al., "Measurement and characterization of free 266:C700-C708 (1994) | Zweier, et al., "Measurement and characterization of free radical generation in reoxygenated human endothelial cells" Am. J. Physiol. 266:C700-C708 (1994) | | | | | |
| 3 | Bartsch, et al., "Preparation and properties of Rhodospirit Biol. Chem 246:4489-4406 (1971) | Bartsch, et al., "Preparation and properties of Rhodospirillum rubum cytochromes c ₂ , cc' and b _{557.5} and flavin mononucleotide protein" J. Biol. Chem 246:4489-4406 (1971) | | | | | |
| 3 | Ren and Meyer, "Atomic structure of a cytochrome c' wi 234:433-445 (1993) | Ren and Meyer, "Atomic structure of a cytochrome c' with an unusual ligand-controlled dimer dissociation at 1 8Å resolution" J. Mol. Bio 234:433-445 (1993) | | | | | |
| 3 | Taniguchi and Kamen, "On the anomalous interactions of ligands with Rhodospirillium haem protein (RHP)" Biochimica et Biophysica Ac 74:438-455 (1963) | | | | | | |
| 3 | Caffery, et al. "NMR assignment of Rhodobacter capsulatus ferricytochrome c', a 28kDa paramagnetic heme protein" Biochemistry 34:59(5912 (1995) | | | | | | |
| 3 | Yoshimura, et al. "Identification of heme axial ligands of cytochrome c' from Alcaligenes sp. N.C.I.B. 11015" Biochimica et Biophysica Acta 831:267-274 (1985) | | | | | | |
| 3 | Yoshimura, et al. "Spectral properties of nitric oxide complexes of cytochrome c' from Alcaligenes sp. NCIB 11015" Biochemistry 25:2436-2442 (1986) | | | | | | |
| 3 | Malinski and Taha, "Nitric oxide release from a single cell measured in situ by a porphyrinic-based microsensor" Nature 358:676-678 (1 | | | | | | |
| 3 | Vallance, et al., "Direct measurement of nitric oxide in human beings" Lancet 346:153-154 (1995) | | | | | | |
| 4 | Kiechile and Malinski, "Indirect detection of nitric oxide effects: A review" Ann. Clin. Lab. Sci 26:501-511 (1996) | | | | | | |
| 4 | Pariente, et al. "Chemically modified electrode for the selective and sensitive determination of nitric oxide (NO) in vitro and in biological systems" J. Electroanalyticl Chem. 379:191-197 (1994) | | | | | | |
| 4 | Shibuki, "An electrochemical microprobe for detecting nitric oxide release in brain tissue" Neurosci. Res. 9:69-76 (1990) | | | | | | |
| 4. | Zhang, et al. "Electrochemical reduction of nitrite and nitric oxide catalyzed by an iron-alizarin complexone adsorbed on a graphite electrode" <i>Inorg. Chem.</i> 33:1392-1398 (1994) | | | | | | |
| 4 | Dave, et al. "Sol-gel encapsulation methods for biosensors" Anal. Chem. 66:1120A-1127A (1994) | | | | | | |
| 4. | Broderick and Taha, "Nitric oxide detection using a popular electrochemical sensor: Recent applications and the development of a new generation of highly sensitive and selective NO-microsensors." pp. 2-18, Presented at the satellite symposium, 4th IBRO World Congress of Neuroscience, Kyoto, Japan, 1995, World Precision Instruments | | | | | | |
| 4 | 6 Ichimori, et al. "Practical nitric oxide measurement emplo | ying a nitric oxide-selective electrode" Rev. S | ci. Instrum. 65:2714-2718 (1994) | | | | |
| xaminer: | | Date Considered: | | | | | |